

**RECEIVED  
CENTRAL FAX CENTER**

NOV 01 2004

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Attorney Docket No.: 40923-0126 US3  
(Old Attorney Docket No. 018733/1094)

In re patent application of:  
Milton David Goldenberg

Confirmation No.: 8273

Application No.: 10/086,637

Art Unit: 1616

Filed: March 04, 2002

Examiner: Hartley, Michael G

For: **INTRAOPERATIVE, INTRAVASCULAR AND ENDOSCOPIC TUMOR AND  
LESION DETECTION, BIOPSY AND THERAPY**

**Amendment and Reply Under 37 C.F.R. § 1.111**

Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450

Sir:

This is a Response to the Office Action mailed June 01, 2004 for the above-captioned application. Applicants hereby request a three month extension of time for responding to the Office Action, thereby extending the date for response to November 01, 2004. Please charge the fees for the extension of time and any other fees due for filing this paper to Deposit Account No. 08-1641.

Please amend the application as set forth below.

**BEST AVAILABLE COPY**

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**